



**Boltaflex Ethos**<sup>™</sup>

No Phthalates - No FR - No MR

# WHO SAYS A TIGER CAN'T CHANGE ITS STRIPES?

#### Introducing Verde

*Verde*, the first **Boltaflex Ethos**<sup>¬</sup> upholstery pattern, contains no phthalates, fire retardants (FR) or antimicrobials (MR).

With no FR, MR and phthalates, **Boltaflex Ethos** patterns still provide strong performance and a long lifecycle.

*Verde* features a leather appearance in 58 trend-forward colors perfect for office, hospitality or healthcare settings.

Featuring our industry-leading **PreFixx**<sup>®</sup> Protective Finish, *Verde* offers exceptional stain and chemical resistance for maximum compatibility with a broad range of cleaners and disinfectants.

To learn more or to order samples, visit **www.omnova.com/verde** 

#### Features & Benefits



#### **Eco-Preferred**

Does not contain phthalates, fire retardants or antimicrobial additives



#### **PreFixx Finish**

State-of-the-art resistance to staining, abrasion, scuffing, burnishing and blocking. Engineered to resist stains from many common disinfecting agents.



### **Available Colors**

## Verde

Content	100% PVC face, polyester terry loop knit backing				
Features	<ul> <li>Eco-preferred construction</li> <li>Phthalate free</li> <li>Antimicrobial (MR) and flame retardant (FR) free</li> <li>Complies with Section 101: Lead, and Section 108: Phthalates of the CPSIA and RoHS directive (Updated March 2015)</li> </ul>				
Finish	<b>PreFixx</b> <sup>®</sup> protective finish for increased stain resistance and easy cleaning. Bleach cleanable and may be disinfected with a variety of hospital grade disinfectants without discoloring or damaging the finish. Disinfection does not replace the need for regular care and maintenance.				
Weight	28 oz/lin. yd [18.7 oz/yd²] / 849 g/lin. m [619 g/m²]				
Width	54 in [137 cm]				
Performance Requirements	Meets or exceeds ACT Performance Guidelines				
	<ul> <li>Also meets or exceeds:</li> <li>CFFA-1a Wyzenbeek - 1.3 million double rubs (cotton duck abradant)</li> <li>BIFMA, Class A</li> <li>California Technical Bulletin 117-2013, Section 1</li> <li>NFPA 260, Class 1</li> <li>UFAC Fabric, Class 1</li> </ul>				
Applications	Indoor • Corporate Office • Food Service • Healthcare • Hospitality and Entertainment • Recreational Vehicles • Retail				

#### For detailed specifications, please visit www.omnova.com/verde

Though our upholsteries can be used in many applications, customers are responsible for selecting an upholstery with attributes that meet the requirements of the specific end-use application – not all upholstery is suitable for all applications.

Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.

www.omnova.com



World Headquarters25435 Harvard RoadBeachwood, OH 44122United StatesPHONE+1 800 457 9900

ALL OMNOVA PRODUCTS AND SERVICES ARE OFFERED AND SOLD SUBJECT TO THE OMNOVA STANDARD TERMS AND CONDITIONS OF SALE AGREEMENT SET FORTH AT WWW.OMNOVA.COM 'ACT Performance Guidelines icons are registered certification marks owned by the Association for Contract Textiles, Inc. BOLTAFLEX and PREFIXX are registered trademarks and BOLTAFLEX ETHOS is a trademark of OMNOVA Solutions Inc.